

BRUHAT BENGALURU MAHANAGARA PALIKE

NO.BHW/RRN/PR/0053/2025/26

DATE :15/05/2025



SAFE DRINKING AND SANITATION CERTIFICATE

This is to certify that **GLOBAL ACDEMY FOR LEARNING SCHOOL** situated at 39/1,39/2, 40 sri chowdeshwari farm pattanagere main mysore road Bengaluru 560059 is running an institution with safe drinking water facilities for student and staff members, school is also maintain hygienic sanitation conditions in the school building and the campus as per norms prescribed by the central/state U.T Govt.

This certificate is valid till 1 year from the date of issue.

Signature with seal:.....
 Name :.....
 Designation.....
 Name and address of the officer.....

TO,
 GLOBAL ACADEMY FOR LEARNING SCHOOL
 39/139/2,40 Sri chowdeshwari farm
 Pattanagere main
 BENGALURU 560059



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS

Bangalore Branch Office

Address Peenya Industrial Area, 1st
Stage,
Bangalore- Tumkur Road,
Bangalore-560058
Phones: 080-28394955, 28394956
Fax: 080-28398841
E-Mail: bnbo@bis.org.in
web: http://www.bis.org.in

REGISTERED A.D

Our Ref: BNBO /L- 3505853

Dated: 18/6/2015

Subject : RENEWAL OF CERTIFICATION MARKS LICENCE NO. CM/L- 3505853
ASTER IS 14543 : 2004

M/s AMRUTH MINERALS
NO.7/1-A(8), 6TH CROSS, MUNIGERAPPA COMPOUND,
BEHIND JANATHA COLONY, NEAR B.M. VALLEY SCHOOL,
PANTHARAPALYA, MYSORE ROAD,
BANGALORE-560039
KARNATAKA

Dear Sir,

With reference to your application for renewal of the above mentioned Certification Marks Licence, we are pleased to inform you that it has been renewed from 02/06/2015 to 01/06/2016

It may please be noted that your licence shall expire at the end of the above mentioned period. You are, therefore, requested to send your application for its renewal at least two months before the expiry of the licence.

The endorsement sheet regarding renewal of licence is enclosed. This may be annexed to the original licence document available with you.

You are also requested to subscribe to our monthly Technical Journal 'Standards India' and also make use to publicize your product through advertisement. The details of the advertisement charges and subscription rates are available in our website www.bis.org.in

Thanking you.

Yours faithfully,

(A. K. Bhatnagar)
Scientist F&Head



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS

बेंगलूरु शाखा कार्यालय
BENGALURU BRANCH OFFICE

Address : Peenya Industrial Area, 1st Stage,
Bengaluru-Tumkur Road,
Bengaluru-560058
Phones : 080-28394955, 28394956
Fax : 080-28398841
E-mail : bnbo@bis.org.in
Web : <http://www.bis.org.in>

ATTACHMENT TO LICENCE NO. CM/I.- 3505853
ENDORSEMENT FOR CHANGE/S IN THE LICENCE

<u>CML NO</u>	<u>NAME OF THE LICENSEE WITH ADDRESS</u>	<u>PRODUCT</u>	<u>IS NO</u>
3505853	AMRUTH MINERALS NO.7/1-A(8), 6TH CROSS, MUNIGERAPPA COMPOUND, BEHIND JANATHA COLONY, NEAR B.M. VALLEY SCHOOL, PANTHARAPALYA, MYSORE ROAD BANGALORE-560039 KARNATAKA	Packaged drinking water (other than packaged natural mineral water) -	IS 14543 : 2004

ENDORSEMENT NO. 5 Dated 18/6/2015

Renewed for a further period of one year from Second June Two Thousand and Fifteen to First June Two Thousand and Sixteen.

Other terms and conditions of Licence remain the same.

3042
(A K Bhatnagar)
Scientist F&Head

Address: Peenya Industrial Area, 1st Stage,
Bangalore-Tumkur Road,
Bangalore-560058

Phones: 080-28394955, 28394936

Fax: 080-28398841

E-Mail: bnbob@bis.org.in

web: http://www.bis.org.in

Bangalore Branch Office

Print Receipt

Hindi

Bilingual

INVOICE CUM RECEIPT

PAN No

Technical Inspection and Certification - section 65(105) (zzi)

Technical Testing and Analysis - section 65(105) (zzh)

Service Tax Regn No : TIC/BG II/BIS/001/2004

Service Tax: 12.36 %

Invoice cum Receipt (R) 6226684

09 Jun 2015

Received with thanks from

M/SAMRUTH MINERALS,
NO.7/1-A(8), 6TH CROSS, MUNIGERAPPA
COMPOUND, BEHIND JANATHA
COLONY, NEAR B.M. VALLEY SCHOOL,
PANTHARAPALYA, MYSORE ROAD,
BANGALORE

Distt : Bangalore Urban

Karnataka

560039

Licence no CM/L- 3505853

A sum of Rs 92796 By Demand Draft (Subject to realization) No.neft dt 20150528,neft dt 20150604 as payment
our :

a) Invoice no

b) Debit Note no

On account as detailed below

1. Application fee	Rs.		2. Pree Insp. charges	Rs.	
3. Spl. Insp charges	Rs.		4. Testing charges	Rs.	
5. Ren. app fee	Rs.	1000.00	6. Annual Licence fee	Rs.	1000
7. Lot insp. charges	Rs.		8. Pre-ship Insp. charges	Rs.	
9. Actual marking fee	Rs.		Period from	to	
10. Min. Marking fee	Rs.	79400.00	Period from 01/03/2014	to 02/03/2015	
11. Service Tax	Rs.	11396.00	12. Previous dues	Rs.	
13. Educational Cess	Rs.	0.00			
14. Others:	Rs.				

Total Rs.

92796

Less Deduction:-

Tax Deducted at Source

(-) 0

Net Receipts Rs.

92796

Section Officer/ Assn. Director:-

9/6/15



CERTIFICATE OF ANALYSIS

BOOKING NO : 2266

CERTIFICATE NO. : 2266/2015-2016

NAME OF MANUFACTURER/PARTY :

AMRUTH'S MINERALS

No 7/1A(8) 6th Cross, Munigerappa Compound, Near B M Viley
School, Behind Janata Colony Mysore Road, Pantharapalya
BANGALORE - 560039 KARNATAKA

1 MFG LIC NO : NM
2 REFERENCE NO OF LETTER : NM
3 DATE : 08/08/2015
4 DATE OF RECEIPT : 08/08/2015
5 NAME OF SAMPLE : Packaged Drinking Water
6 DETAILS OF RAW MATERIAL / FINAL PRODUCTS (In Bulk/Finished Pack)

(A) MANUFACTURER NAME : NM
(B) BATCH NO. : 593
(C) BATCH SIZE : NM
(D) DATE OF MFG : 08/08/2015
(E) SAMPLE QUANTITY : 2Lx2 Bottle
(F) DATE OF EXPIRY : NM
(G) PACKING : Plastic bottle
(H) STARTING DATE : 08/08/2015
(I) SEALED : Cap intact
(J) ENDING DATE : 12/08/2015
(K) BRAND NAME : Amruth Minerals
(L) SAMPLING PROTOCOL : NA
(M) DATE OF SAMPLING / SAMPLE : 08/08/2015
(N) REPORT GEN. DATE : 18/08/2015
COLLECTION

As per IS 14543 : 2004 RA 2009

SR	TEST NAME	UNIT	RESULT	SPECIFICATIONS	DET. LIMIT	METHOD OF TEST
1	MICROBIOLOGY PARAMETERS Faecal streptococci	in 250ml	Absent	Absent	-	IS 5687 (P-2) 1976 RA 2009
2	Salmonella	in 250ml	Absent	Absent	-	IS 15187 2002
3	Shigella	in 250ml	Absent	Absent	-	IS 5607 (P-2) 1999 RA 2009
4	S aureus	in 250ml	Absent	Absent	-	IS 5337 (P-2) 1976 RA 2009
5	Vibrio cholerae	in 250ml	Absent	Absent	-	IS 5687 (P-5) 1976 RA 2009
6	Vibrio parahaemolyticus	in 250ml	Absent	Absent	-	IS 5687 (P-5) 1976 RA 2009
	CHEMICAL PARAMETERS					
1	Phenolic compounds (as C6H5OH)	mg/l	Absent	Absent	-	IS 3025 (Part-4) 1992 RA 2009
2	Mineral oil	mg/l	Absent	Absent	-	IS 3025 (Part-3) 1991 RA 2009
3	Antimony (as Sb)	mg/l	<0.005	0.005Max	-	IS 15303 2002
4	Borates (as B)	mg/l	<0.1	5Max	-	IS 3025 (Part-1) 1992 RA 2009

ANALYTICAL LABORATORIES PVT. LTD

For IADFAC LABORATORIES PVT. LTD

Authorised Signatory

Authorised Signatory

Remarks

Deepa Kumari, G.
Sr. Microbiologist
ID No. : 91

Samayita Chakraborty
Assistant Manager-QC
ID No. : 40

AUTHORISED SIGNATORY

Notes

1. The results listed refer only to the samples analysed & applicable parameters. Endorsement products is neither inferred nor implied.

2. The liability of the institute is limited to the invoiced amount.

3. The report shall be reproduced completely or in part, in any form (including print) without an explicit written permission from the institute.

4. The report shall be valid only for the purpose for which it was issued, unless otherwise stated.

5. The report shall be valid only for the purpose for which it was issued, unless otherwise stated. Analyzed Packaged Drinking Water samples destroyed after 30 days.